

## Monitoring the Quality of Primary Care

CHS

---

---

---

---

---

---

---

---

## Important Concepts in Quality Assessment

CHS

---

---

---

---

---

---

---

---

## Systems View

- Inputs = resources
- Processes = activities
- Outcomes = effects of the activities

CHS

---

---

---

---

---

---

---

---

## Systems View of a Diarrhea Control Program

### INPUTS

- Trained Health Workers
- Oral Rehydration Salts

### PROCESSES

- Education sessions for the mothers

### OUTCOMES

- Children treated with Oral Rehydration Therapy

CHS

---



---



---



---



---



---



---

## Interrelationship of Subsystems

Training system

Inputs	Process	Outcomes
Health workers Trainers Training materials	Training session of the HWs	<b>Competent health workers</b>

Diarrhea control system

Inputs	Process	Outcomes
<b>Competent health workers</b> Oral rehydration salts (ORT)	Education session of the mothers	Children treated with ORT

CHS

---



---



---



---



---



---



---

## Advantages of Using Systems View

- Identify process elements often overlooked
- Make explicit links between resources, activities and effects
- Provide framework for structured analysis of quality issues
- Explore causes of poor performance

CHS

---



---



---



---



---



---



---

## More Clinical Practice Guides

- TTT standards
- Reproductive Health Protocols
- Integrated Management of Childhood Illness
- Tuberculosis case management
- Syndromic approach to STD case management

CHS

---



---



---



---



---



---



---

## Measuring Compliance With Standards Is Assessing Quality

- Standards can be developed for each quality of care dimension
- Standards can be developed for each component of the system

CHS

---



---



---



---



---




---



---

## Dimensions of Quality




---



---



---



---



---



---



---

### How Data Can Help Improve Quality

- Identify quality issues
- Quantify the quality gap
- Identify root causes of poor quality
- Select the quality improvement strategy
- Monitor change



---

---

---

---

---

---

---

---

### Striking a Balance Between Measurement and Improvement

- Measurement without improvement
- Improvement without measurement
- Too many data
- No data



---

---

---

---

---

---

---

---

### Introduction to Monitoring



---

---

---

---

---

---

---

---

## Monitoring System

The regular collection and analysis of a core set of indicators

Example: Health information system

CHS

---

---

---

---

---

---

---

---

## Effective Monitoring Systems

- People who collect data must use them to make decisions about health problems
- Data is collected repeatedly to monitor trends over time

CHS

---

---

---

---

---

---

---

---

## Objective of Quality Monitoring

...To identify and express in a measurable way the gap between the current level of quality and the expected one...

CHS

---

---

---

---

---

---

---

---

### Quality Monitoring Systems

- Collect data on performance against standards
- Include information on the processes



---

---

---

---

---

---

---

---

### Incremental Approach to a Monitoring System

- Begin with a limited scope to fit existing resources
- Expand the monitoring system in space, time, scope, and methods
- Maintain the monitoring system



---

---

---

---


---

---

---

---

### THE ROAD TO QUALITY MONITORING



---

---

---

---


---

---

---

---

## Quality Monitoring Process




---

---

---

---


---

---

---

---

### DECIDE WHAT INFORMATION YOU NEED




---

---

---

---


---

---

---

---

### DECIDE WHAT INFORMATION YOU NEED




---

---

---

---

---

---

---

---

## Health Services to Monitor

- Prioritize according to criteria
  - High volume: most common
  - High risk: most serious
  - Problem-prone: most difficult to handle
- Other criteria
- Other situations

CHS

---

---

---

---

---

---

---

---

## Example: Prioritization Matrix

	Prenatal visits	A.R.I.	Adult Tuberculosis
High Volume	2	3	1
High Risk	1	2	3
Problem-prone	1	3	2
SCORE	4	8	6

CHS

---

---

---

---

---

---

---

---

ARI case management in children under five is the priority service to monitor

CHS

---

---

---

---

---

---

---

---



DECIDE WHAT INFORMATION YOU NEED

Select the Health Services to Monitor

**Describe the Process of Care**

Draw a Systems View

Make Explicit Critical Standards

Develop Performance Indicators

CHS

---



---



---



---



---



---



---



---

## Process of Care - Defined

- Listing of activities/tasks to be carried out during the health care interaction
- Only the critical tasks key to a correct diagnosis and treatment to ensure desired outcome

CHS

---



---



---



---



---



---



---



---

## How to Select Critical Activities

- Official policy
- Provider's judgement
- Expert opinion

CHS

---



---



---



---



---



---








---



---

### Basic Flow Chart Symbols

-  Step or activity
-  Start/End points in the process
-  Direction
-  Connector to next page
-  Cloudy Step

CHS

---

---

---

---



---

---

---

---

### Additional Symbols for Second-Level Flow Charts

-  Decision or branch point
-  Wait / Bottleneck

CHS

---

---

---

---


---

---

---

---

### Process Flowchart



CHS

---

---

---


---

---

---

---

---




---

---

---


---

---

---

---

---




---

---

---

---

---

---

---

---

**Example: Systems View of ARI Case Management**

Inputs	Processes	Outcomes
<ul style="list-style-type: none"> <li>▪Child</li> <li>▪Competent Provider</li> <li>▪Child caretaker</li> <li>▪Timing Device</li> <li>▪Antibiotics</li> <li>▪Child record</li> <li>▪Clinical guidelines</li> <li>▪Job-aids</li> </ul>	<ul style="list-style-type: none"> <li>▪Ask about danger signs</li> <li>▪Count respiration rate</li> <li>▪Classify (pneumonia/URI)</li> <li>▪Treating</li> <li>▪Counseling on treatment</li> <li>▪Counseling on return</li> <li>▪Recording</li> <li>▪Referral</li> </ul>	<ul style="list-style-type: none"> <li>▪Pneumonia is recognized</li> <li>▪Appropriate treatment is given</li> <li>▪Child referred as appropriate</li> <li>▪Caretaker understands home action and return if necessary</li> <li>▪Decrease in case fatality rate</li> <li>▪Child mortality rate decreases</li> </ul>

---

---

---

---


---

---

---

---

DECIDE WHAT INFORMATION YOU NEED




---

---

---

---

---

---

---

---

### What is a Standard?

- A statement of expected quality
- Who should be doing what, in which way, at which level of the health system, and at what time




---

---

---

---

---

---

---

---

### Quality Standards

- Standards make explicit the definition of quality desired for a specific service, system => *Set a goal*
- Standards provide a basis of measurement against which performance can be compared and assessed => *Measure achievement of that goal*




---

---

---

---

---

---

---

---

## Implicit vs. Explicit Standard

### *Implicit*

- Not formally written down
- Something that workers "just know"

### *Explicit*

- Formally written down

CHS

---



---



---



---



---



---



---

## Types of Standards

- System - taxonomy of standards
- Clinical vs. management standards

CHS

---



---



---



---



---



---



---

## Clinical Standards

Input Standards	Process Standards	Outcome Standards
<ul style="list-style-type: none"> <li>• Job descriptions</li> <li>• Specifications</li> </ul>	<ul style="list-style-type: none"> <li>• Clinical practice guidelines</li> <li>• Protocols</li> </ul>	<ul style="list-style-type: none"> <li>• Patient health outcomes</li> </ul>

CHS

---



---



---



---



---



---



---

## Managerial Standards

Input Standards	Process Standards	Outcome Standards
<ul style="list-style-type: none"> <li>• Administrative policies</li> <li>• Rules and regulations</li> <li>• Qualifications</li> </ul>	<ul style="list-style-type: none"> <li>• Standard operating procedures</li> </ul>	<ul style="list-style-type: none"> <li>• Expected results*</li> </ul>

CHS

---

---

---

---

---

---

---

---

## Examples of Standards

### *Input Standard*

Each clinic must have at least one health provider trained in tuberculosis case management

CHS

---

---

---

---

---

---

---

---

## Examples of Standards (cont'd.)

### *Process Standard*

All patients hospitalized for cerebral malaria must have their temperature checked every four hours

CHS

---

---

---

---

---

---

---

---

### Examples of Standards (cont'd.)

#### *Outcome Standard*

The total fertility rate must be < 5



---

---

---

---

---

---

---

---

### Characteristics of a Good Standard

- Valid
- Reliable
- Clear
- Realistic



---

---

---

---

---

---

---

---

### Characteristics of a Good Standard

- Valid
  - Based on scientific evidence or other acceptable experience
- Reliable
  - Leads to the same result each time it is applied



---

---

---

---

---

---

---

---

## Characteristics of a Good Standard (cont'd.)

- Clear
  - Understood in the same way by everyone;  
not subject to misinterpretation
- Realistic
  - Can be achieved with existing resources

**CHS**

---

---

---

---

---

---

---

---

## Sources of Standards

- Ministry of Health
- World Health Organization
- Professional organizations
- Teaching institutions
- Research findings

**CHS**

---

---

---

---

---

---

---

---

## Three Problems of Standards

- Not written down formally
- Not communicated
- Do not meet criteria of a good standard

**CHS**

---

---

---

---

---

---

---

---



### If Standard Is Not Explicitly Stated

- Find out if it exists implicitly
- If so, make the standards as explicit as possible

CHS

---

---

---

---

---

---

---

---

### If Standard Exists and Is Not Communicated

- Use the standard if it is satisfactory
- Create a process that will communicate the standard
- Note how this may affect results of monitoring

CHS

---

---

---

---

---

---

---

---

### If Standard Exists but Fails to Meet Essential Criteria of Good Standard

- Refer to internationally recognized standard
- Improve existing standard
- Discard any unscientific or harmful standards

CHS

---

---

---

---

---

---

---

---

## Example: ARI Case Management

### Process standard

The health worker counts for at least one minute the respiratory rate of the child by using a watch or a timer when the child is calm

### Input standard

There has been no shortage of either Cotrimoxazole or Amoxicillin in the past three months

### Outcome standard

The severe pneumonia cases are appropriately referred to a hospital

CHS

---

---

---

---

---

---

---

---

## DECIDE WHAT INFORMATION YOU NEED

Select the Health Services to Monitor

Describe the Process of Care

Draw a Systems View

Make Explicit Critical Standards

**Develop Performance Indicators**

CHS

---

---

---

---

---

---

---

---

## Indicator

- A measurable variable used to determine the degree of adherence to a standard
- Translates a qualitative statement to a quantitative one to express the quality gap

CHS

---

---

---

---

---

---

---

---

## Input Indicator

*Standard*

There must be one trained family planning nurse per PHC center

*Indicator*

Proportion of PHC centers that have a trained family planning nurse

**CHS**

---

---

---

---

---

---

---

---

## Process Indicator

*Standard*

Each patient with cerebral malaria must have his or her temperature measured 4 times per 24 hours

*Indicator*

Number of times the temperature has been measured for a patient with cerebral malaria during a 24-hour period

**CHS**

---

---

---

---

---

---

---

---

## Outcome Indicator

*Standard*

The average number of pregnancies per woman of reproductive age must be < 5

*Indicator*

Average number of pregnancies per woman of reproductive age

**CHS**

---

---

---

---

---

---

---

---

## Development of Indicators

- Easier to develop when a standard exists
- Various types: counts, averages, ratios
- State numerator and denominator

CHS

---



---



---



---



---



---



---

## Ratios

Indicator	Numerator	Denominator
Proportion of PHC centers that have a trained FP nurse	Number of PHC centers with at least one trained FP nurse	Total number of PHC centers monitored

CHS

---



---



---



---



---



---



---

## Development of Indicators (cont'd.)

- Identify information to collect (number of FP nurses in each PHC center)
- Identify sources of information
- Make sure the indicator is clear and measures exactly what you want

CHS

---



---



---



---



---



---



---

## Which Indicator Is Right?

Standard	Indicator 1	Indicator 2
Each clinic must have at least one HW properly trained in TB case management	Proportion of HWs who have had appropriate training in TB case management	Proportion of clinics that have at least one HW trained in TB case management




---

---

---

---

---

---

---

---

### Example: Performance Indicators for ARI Case Management

Indicator	Numerator	Denominator
Administration of a dose of Antibiotics	Number of children with pneumonia whose caretaker administered a dose of antibiotic at the health facility	Total number of children with pneumonia
Availability of antibiotics	Number of days of drug stockout in the past three months	

---

---

---

---


---

---

---

---

## COLLECT THE DATA




---

---

---

---

---


---

---

---

## COLLECT THE DATA

### Choose Data Collection Methods



CHS

---



---



---



---



---



---



---

## Data Collection Methods

- Direct observation
- Exit interview of patient
- Interview of health providers
- Record review
- Inspection of the facility
- Mystery patient

CHS

---



---



---



---



---



---



---

## Direct Observation

An observer records the tasks performed by health provider during a real patient/provider encounter

**Considered the reference method, but influences performance**

CHS

---



---



---



---



---



---



---

## Patient Exit Interview

Individual exit interview at the clinic asks what happened during the clinic and how satisfied patient is

**Does not disturb patient/provider interaction but limited by patient's understanding, memory, and courtesy bias**

CHS

---

---

---

---

---

---

---

---

## Provider Interview

An interviewer asks the health provider open-ended or yes/no questions about the management of health services and patient care

**Good to test competence (knowledge) and organization of services, but does not assess performance**

CHS

---

---

---

---

---

---

---

---

## Record Review

Review of a sample of medical records

**Usually information limited to symptoms, diagnosis, and treatment**

CHS

---

---

---

---

---

---

---

---

## Inspection of the facility

Checks for items (drugs, equipment, etc.)

**Usually limited to inputs standards**



---

---

---

---

---

---

---

---

## Mystery Patient

A trained person mimics a symptom or comes with a specific demand and observes what the provider does

- **Unbiased**
- **Limited to what can be observed**
- **Ethical issues**



---

---

---

---

---

---

---

---

No single method presents all advantages

Combine several methods for higher cost-effectiveness



---

---

---

---

---

---

---

---



## Example: Data Collection Methods in ARI Case Management

- Direct observation: *Explained the treatment*
- Exit interview with caretaker: *Administered first dose of antibiotic*
- Inspection of the pharmacy: *Stock of antibiotic*
- Review of records: *Severe pneumonia referred*

CHS

---



---



---



---



---




---



---

## COLLECT THE DATA



CHS

---



---



---



---



---



---



---

## Designing Data Collection Forms

- Variable format:
  - Close-ended
  - Yes/No checklist
  - Open-ended

### Sections:

- Administrative data
- Technical data
- Coding system
- Comments/Notes

CHS

---



---



---



---



---



---



---

### Example: Direct Observation Questionnaire

Code

1. Clinic name: \_\_\_\_\_
2. Did the health worker count the respiratory rate? Yes  No

Comments: \_\_\_\_\_

---

---

---

---

---

---

---

---

### Example: Exit Interview of the Caretaker

Code

1. Clinic name: \_\_\_\_\_
2. Did you give the first dose of treatment to your child?  
Yes  No

Comments: \_\_\_\_\_

---

---

---

---

---

---

---

---

### Example: Checklist for the Pharmacy Inspection

Code

1. Clinic name: \_\_\_\_\_
2. Number of days of amoxicilline or cotrimoxazole stockouts in the past three months? \_\_\_\_\_

Comments: \_\_\_\_\_

---

---

---

---

---

---

---

---

### Example: Checklist for the Record Review

1. Clinic name: \_\_\_\_\_ Code
  2. What is the total number of severe pneumonia cases recorded in the past three months? \_\_\_\_\_
  3. What is the total number of severe pneumonia cases referred to hospital in the past three months? \_\_\_\_\_
  4. Percent of severe cases referred to a hospital (divide item 3 by item 2 and multiply by 100) \_\_\_\_\_%
- Comments: \_\_\_\_\_ []

---

---

---

---

---

---

---

---

### Monitoring Tools as Job Aids

- Using forms to decrease inter-observer variability
- Forms allow a rotating focus
- Forms supplement existing information




---

---

---

---


---

---

---

---

### COLLECT THE DATA




---

---

---

---

---

---

---

---

## Review Forms With Users

- Data collectors must understand forms, know what they are looking for
- Test clarity of the questions
- For observation, ask to demonstrate task they would expect providers to perform




---

---

---

---

---

---

---

---

## Test the Use of the Forms

- Often called “pre-testing”
- Actual field practice with the instruments
- Report problems, successes
- Modify tools as necessary




---

---

---

---


---

---

---

---

## COLLECT THE DATA




---

---

---

---

---

---

---

---

## State the Monitoring Strategy

- Whose performance is to be monitored?
- How do you build on existing information and monitoring systems?
- What is the optimal frequency for data collection?
- Who collects the data?
- Resources needed ?
- Validation?
- How many cases to monitor?

CHS

---



---



---



---



---



---



---



---

## Whose performance is to be monitored?

- Individual providers
- Health center
- Region

Purpose influences unit of analysis

CHS

---



---



---



---



---



---



---



---

## How do you build on existing systems?

Quality monitoring should be integrated

- Determine if existing system captures quality information
- If not, adapt tools to include data collection on quality

CHS

---



---



---



---



---



---



---



---

### What is the optimal frequency for data collection?

- Depends on time, resources, provider's needs and complexity of system
- Be flexible

**CHS**

---

---

---

---

---

---

---

---

### Who collects the data?

- Outsiders (supervisor, manager, other)
- Colleagues of health provider (peer assessment)
- Self-assessment

**CHS**

---

---

---

---

---

---

---

---

### What resources are needed?

- At least 5%
- No absolute answer

**CHS**

---

---

---

---

---

---

---

---

## How to validate data?

Two validity issues

- Was the task performed ?
  - Accuracy of data reported
- Was the task performed correctly?
  - Double-checking

CHS

---

---

---

---

---

---

---

---

## How many cases to monitor?

- No statistical tests
  - one case is enough for feedback
- Looking for a significant difference
  - calculate sample size
- Overall performance
  - one case is enough for feedback

CHS

---

---

---

---

---

---

---

---

## Example: Monitoring Strategy

- Random sample of 10 nurses drawn from 15 rural health centers and 2 medical assistants of the OPD of the hospital
- Unit of analysis is the individual health care provider
- Monitoring through supervision visits
- All ARI cases to be included

CHS

---

---

---

---


---

---

---

---

COLLECT THE DATA




---

---

---

---

---

---

---

---

Collection Day Checklist

- Decide whether to inform in advance of the visit
- Logistic of transportation
- Enough supplies
- Distribute roles and responsibilities
- Agenda of the visit




---

---

---

---

---

---

---

---

Collection Day Checklist (cont'd.)

- Team leader's supporting role
- Respectful attitude
- No judgement in front of patients
- Visit local authorities
- Thank the staff for cooperation




---

---

---

---

---


---

---

---



USE THE INFORMATION YOU OBTAINED



---

---

---

---


---

---

---

---

USE THE INFORMATION YOU OBTAINED



---

---

---

---

---

---

---

---

Disaggregated/Aggregated

- Disaggregated - a score for each task performed by one or several providers
- Aggregated - a global score for all tasks per one or several providers



---

---

---

---

---

---

---

---

## Disaggregated Data

- Health provider checks the child's temperature in 50% of the cases
- 20% of the health providers systematically check the child's temperature

CHS

---



---



---



---



---



---



---

## Aggregated Data

Calculate an index for overall performance that includes multiple individual tasks

CHS

---



---



---



---



---



---



---

Scoring the Performance of a Family Planning Nurse

Questions/tasks	Results	Weight	Score
Did the provider:	Number of times answer is "yes" in 20 observations	On a scale of 1 to 5	Results x weight
• greet the client in a respectful manner?	12	1	12
• ask the client about the contraceptive method currently used?	8	2	16
• present the choice of contraceptive methods to the client?	15	2	30
• use visual job aids?	5	1	5
• check the understanding of the client on the HIV/AIDS transmission?	2	3	6
• assist the client in selecting a method?	13	5	65
<b>TOTAL SCORE :</b>	<b>55</b>		<b>134</b>

---



---



---



---



---



---



---

## A Global Quality Score

- An index summarizes performance and allows easy trend analysis...
- ...But it hides details provided by disaggregated data

CHS

---



---



---



---



---



---



---

## Example: Tabulating Results for ARI Case Management

- The nurses explained the correct treatment for pneumonia to 78% of the caretakers, compared to 45% by the medical assistants
- Nurses referred 74% of the severe pneumonia cases to the hospital, whereas medical assistants did so 98% of the time

CHS

---



---



---



---



---




---



---

## USE THE INFORMATION YOU OBTAINED



CHS

---



---



---



---



---



---



---

### Performance Analysis

- What is the level of performance?
- Who are the best and worst performers?
- Is there a consistent pattern of performance?
- What is the trend in performance over time?

CHS

---



---



---



---



---



---



---



---

### State the Level of Performance

The performance of health providers in the district is unsatisfactory: only 25% prescribe the correct first line treatment for a malaria episode in adults

CHS

---



---



---



---



---



---



---



---

### Identify Best and Worst Performers

Various ways

- Pre-identification of thresholds
- Distribution of data, standard deviation
- Divide into three tiers

CHS

---



---



---



---



---



---



---



---

## Look for Patterns of Performance

Widespread deficiencies may have a common cause

Ex: 98% of hospitals do not perform sputum exam for cough longer than two weeks

**CHS**

---

---

---

---

---

---

---

---

## Observe Trend Over Time

- Performance varies naturally
- Definitive judgement requires multiple measurements

**CHS**

---

---

---

---

---

---

---

---

## Example: Analyzing ARI Case Management

- Follow-up of the child  
Nurses informed caretakers less often to bring the child back than medical assistants. There was a consistent pattern among nurses, and they could not find an explanation other than "it slipped their mind."

**CHS**

---

---

---

---


---

---

---

---

### USE THE INFORMATION YOU OBTAINED



CHS

---



---



---



---



---



---



---

### Root Causes of Poor Performance

Multiple causes to quality gaps:

- Lack of knowledge and skills
- Low self-motivation
- Inadequate resources
- Peer pressure
- Etc.

CHS

---



---



---



---



---



---



---

### Improving Performance Gaps

Multiple targeted interventions:

- Feedback on performance
- Competency-based training
- Additional resources
- Job aids
- Incentives, etc.

CHS

---



---



---



---



---



---



---

## Example: Interpret and Use ARI Results

- Explore further the root causes of issues related to the drug supply and referral systems
- Develop job aids for danger signs
- Provide on-the-job training to staff for counting the respiratory rate
- Organize continuing training of the staff in ARI case management at the hospital

CHS

---



---



---



---



---




---



---

## USE THE INFORMATION YOU OBTAINED



CHS

---



---



---



---



---



---



---

## Key Questions

- Computerized database or not
- User-friendly and utilization-oriented forms
- Easy retrieval/accessibility
- Data presentation logic

CHS

---



---



---



---



---



---



---

### Example: Data Storage and Retrieval System

- Storage room for manual filing system
- One folder per health facility
- One sub folder per topic
- One performance summary sheet per health provider




---

---

---

---


---

---

---

---

### USE THE INFORMATION YOU OBTAINED




---

---

---

---

---

---

---

---

### Dissemination Strategies

- Internal Audience
  - Immediate feedback to staff
  - Group feedback
- External audience
  - Workshop/conference
  - Bulletins




---

---

---

---

---

---

---

---



**Example:**

**Disseminate ARI Information**

- On-site feedback: supervisors discussed results with health care providers
- Group feedback: present performance results at the district quarterly review meeting
- Newsletter "Quality Focus" distributed to 200 people



---

---

---

---

---

---

---

---

**Selected Issues  
and Choices to Make**

- Sampling or not?
- Validity of the measurement?
- Thresholds?
- Issues with standards
- Variation in performance
- Link performance to rewards



---

---

---

---

---

---

---

---